

Publications of the author related to the doctoral thesis

Michal Jelínek

Book chapters

- [A5] **M. Jelínek**, V. Kubeček, and M. Čech, “Single shot diagnostics of quasi-continuously pumped picosecond lasers using fast photodiode and digital oscilloscope,” in *Photodiodes - Communications, Bio-Sensings, Measurements and High-Energy Physics*. Croatia: InTech, 2011.
- [A9] **M. Jelínek** and V. Kubeček, “Highly doped Nd:YAG laser in bounce geometry under quasi-continuous diode pumping,” in *Nd:YAG laser*. Croatia: InTech, 2012.

Articles in peer-reviewed journals

- [A6] **M. Jelínek**, V. Kubeček, M. Čech, P. Hiršl, and J.-C. Diels, “0.8 mJ quasi-continuously pumped sub-nanosecond highly doped Nd:YAG oscillator-amplifier laser system in bounce geometry,” *Laser Physics Letters*, vol. 8, no. 3, pp. 205–208, 2011.
- [A12] **M. Jelínek** and V. Kubeček, “15 ps quasi-continuously pumped passively mode-locked highly doped Nd:YAG laser in bounce geometry,” *Laser Physics Letters*, vol. 8, no. 9, pp. 657–660, 2011.
- [A18] **M. Jelínek**, O. Kitzer, H. Jelínková, J. Šulc, and M. Němec, “CVD-diamond external cavity nanosecond Raman laser operating at 1.63 μ m pumped by 1.34 μ m Nd:YAP laser,” *Laser Physics Letters*, vol. 9, no. 5, pp. 35–38, 2012.
- [A2] M. Doroshenko, V. Osiko, H. Jelínková, **M. Jelínek**, M. Němec, J. Šulc, N. Kovalenko, A. Gerasimenko, and V. Puzikov, “Spectroscopic and laser properties of Cr²⁺ ions in Zn_{1-x}Mg_xSe solid solutions,” *Optical Materials*, vol. 47, pp. 185–189, 2015.
- [A3] V. Kubeček, **M. Jelínek**, M. Čech, P. Hiršl, and J.-C. Diels, “0.4 mJ quasi-continuously pumped picosecond Nd:GdVO₄ laser with selectable pulse duration,” *Laser Physics Letters*, vol. 7, no. 2, pp. 130–134, 2010.
- [A15] T. Basiev, M. Doroshenko, L. Ivleva, S. Smetanin, **M. Jelínek**, V. Kubeček, and H. Jelínková, “Stimulated raman scattering of 18 picosecond laser pulses in strontium barium niobate crystal,” *Laser Phys. Lett.*, vol. 9, no. 7, pp. 519–523, 2012.

- [A16] T. Basiev, L. Ivleva, S. Smetanin, **M. Jelínek**, V. Kubeček, M. Doroshenko, and H. Jelínková, “Multi-wave SRS oscillation in PbMoO_4 and $\text{PbMo}_{0.5}\text{W}_{0.5}\text{O}_4$ crystals under 18 picosecond laser pumping,” *Laser Phys. Lett.*, vol. 9, no. 12, pp. 853–857, 2012.
- [A17] T. Basiev, M. Doroshenko, S. Smetanin, **M. Jelínek**, V. Kubeček, H. Jelínková, and L. Ivleva, “Four-wave-mixing generation of SRS components in BaWO_4 and SrWO_4 crystals under picosecond excitation,” *Quantum Electronics*, vol. 43, no. 7, pp. 616–620, 2013.
- [A20] S. C. Kumar, **M. Jelínek**, M. Baudisch, K. T. Zawilski, P. G. Schunemann, V. Kubecek, J. Biegert, and M. Ebrahim-Zadeh, “Tunable, high-energy, mid-infrared, picosecond optical parametric generator based on CdSiP_2 ,” *Optics Express*, vol. 20, no. 14, pp. 15 703–15 709, 2012.
- [A23] H. Jelínková, M. Doroshenko, **M. Jelínek**, J. Šulc, T. Basiev, V. Osiko, V. Badikov, and D. V. Badikov, “Resonant pumping of dysprosium doped lead thiogallate by $1.7\ \mu\text{m}$ Er:YLF laser radiation,” *Laser Phys. Lett.*, vol. 8, no. 5, pp. 349–353, 2011.
- [A25] H. Jelínková, M. Doroshenko, **M. Jelínek**, J. Šulc, V. Osiko, D. Badikov, and V. Badikov, “Dysprosium-doped PbGa_2S_4 laser generating at $4.3\ \mu\text{m}$ directly pumped by $1.7\ \mu\text{m}$ laser diode,” *Optics Letters*, vol. 38, no. 16, pp. 3040–3043, 2013.
- [A36] M. Hemmer, D. Sanchez, **M. Jelínek**, V. Smirnov, H. Jelinková, V. Kubeček, and J. Biegert, “ $2\text{-}\mu\text{m}$ wavelength, high-energy Ho:YLF chirped-pulse amplifier for mid-infrared OPCPA,” *Optics Letters*, vol. 40, no. 4, pp. 451–454, 2015.
- [A28] M. Doroshenko, H. Jelínková, J. Šulc, **M. Jelínek**, M. Němec, T. Basiev, Y. Zagoruiko, N. Kovalenko, A. Gerasimenko, and V. Puzikov, “Laser properties of Fe:Cr:ZnMgSe crystal for tunable mid-infrared laser sources,” *Laser Phys. Lett.*, vol. 9, no. 4, p. 301–305, 2012.

Conference proceedings articles

- [A1] M. Doroshenko, T. Basiev, V. Osiko, H. Jelínková, J. Šulc, **M. Jelínek**, M. Fibrich, and V. Badikov, “Four micron radiation generated by dysprosium doped lead thiogallate laser,” *Proc. SPIE*, vol. 7578, p. 757825, 2010.
- [A4] V. Kubeček, **M. Jelínek**, M. Čech, P. Hiršl, A. Stintz, and J.-C. Diels, “Pulse shortening by passive negative feedback in mode-locked train from highly-doped Nd:YAG in a bounce geometry,” *Proc. SPIE*, vol. 7354, p. 73540R, 2009.
- [A8] V. Kubeček, **M. Jelínek**, P. Hiršl, and M. Čech, “Quasi-continuously pumped operation of 2.4% doped crystalline Nd:YAG in a bounce geometry,” *Proc. SPIE*, vol. 7193, p. 719320, 2009.
- [A10] **M. Jelínek**, V. Kubeček, M. Čech, and P. Hiršl, “Passively Q-switched quasi-continuously pumped 2.4% Nd:YAG laser in a bounce geometry,” *Proc. SPIE*, vol. 7912, p. 791221, 2011.

- [A11] **M. Jelínek**, V. Kubeček, M. Čech, P. Hiršl, and D. Vyhlídal, “Passively mode locked quasi-continuously pumped 2.4% doped crystalline Nd:YAG laser in a bounce geometry,” *Proc. SPIE*, vol. 7721, p. 772115, 2010.
- [A13] **M. Jelínek**, V. Kubeček, and D. Vyhlídal, “Quasi-continuously pumped acousto-optically mode-locked highly-doped Nd:YAG laser in bounce geometry,” *Proc. SPIE*, vol. 8697, pp. 869 714–1, 2012.
- [A21] S. C. Kumar, **M. Jelínek**, M. Baudisch, K. T. Zawilski, P. G. Schunemann, J. Biegert, M. Ebrahim-Zadeh, and V. Kubecek, “High-energy, tunable, mid-infrared, picosecond optical parametric generation in CdSiP₂,” *Proc. SPIE*, vol. 8434, pp. 84 340F–1, 2012.
- [A29] H. Jelínková, P. Koranda, J. Šulc, **M. Jelínek**, M. Čech, M. Doroshenko, T. Basiev, V. Badikov, and D. Badikov, “Room-temperature lasing, gain-switched bulk, tunable Fe:ZnSe laser,” *Proc. SPIE*, vol. 7721, p. 772111, 2010.
- [A30] H. J. M. Doroshenko, J. Šulc, **M. Jelínek**, M. Němec, M. Čech, T. Basiev, Y. Zagoruiko, N. Kovalenko, A. Gerasimenko, V. Puzikov, and V. Komar, “Tunable Fe,Cr:ZnMgSe gain-switched mid-IR laser operating at room temperature,” *Proc. SPIE*, vol. 8433, p. 84331I, 2012.
- [A31] H. J. M. Doroshenko, **M. Jelínek**, D. Vyhlídal, J. Šulc, M. Němec, V. Kubeček, Y. Zagoruiko, N. Kovalenko, A. Gerasimenko, V. Puzikov, and V. Komar, “Fe:ZnSe laser oscillation under cryogenic and room temperature,” *Proc. SPIE*, vol. 8599, p. 85990E, 2013.
- [A32] H. Jelínková, M. Doroshenko, M. Němec, J. Šulc, **M. Jelínek**, D. Vyhlídal, V. Kubeček, Y. Zagoruiko, N. Kovalenko, A. Gerasimenko, V. Puzikov, and V. Komar, “Gain-switched Fe:ZnMgSe laser oscillation under cryogenic temperature,” *Proc. SPIE 8959*, p. 895926, 2014.

Conference presentations

- [A7] V. Kubeček, **M. Jelínek**, M. Čech, and P. Hiršl, “Cavity dumping of single 19 ps pulses from passively mode-locked quasi-continuously pumped highly doped Nd:YAG laser,” in *Proceedings of CLEO Europe*. CLEO, Munich, Germany, 2011.
- [A14] **M. Jelínek**, M. Čech, and V. Kubeček, “Active stabilization of quasi-continuously pumped passively mode-locked Nd:YAG laser in bounce geometry,” in *ICONO/LAT 2013: Technical digest*. Academy of Sciences, Moscow, Russia, 2013.
- [A19] **M. Jelínek**, O. Kitzer, H. Jelínková, J. Šulc, M. Němec, and V. Kubeček, “CVD-Diamond external cavity Raman laser operating at 1632 nm,” in *IQEC/CLEO Pacific Rim Conference Proceedings*, 2011.

- [A22] S. C. Kumar, **M. Jelínek**, M. Baudisch, K. T. Zawilski, V. Kubecek, J. Biegert, M. Ebrahim-Zadeh, and P. G. Schunemann, “High-energy, widely tunable, near- and mid-infrared picosecond optical parametric generator based on CdSiP₂,” in *Proceedings of CLEO*, 2012, p. CF3B.5.
- [A24] H. Jelínková, M. Doroshenko, **M. Jelínek**, J. Šulc, T. Basiev, V. Badikov, and D. Badikov, “Dysprosium lead thiogallate crystal resonantly pumped by Er:YLF laser radiation,” in *Advances in Optical Materials, OSA Technical Digest (CD) (Optical Society of America, 2011)*, paper ATuB18, 2011.
- [A26] H. Jelínková, M. Doroshenko, **M. Jelínek**, J. Šulc, V. Osiko, V. Badikov, and D. Badikov, “Diode-pumped dysprosium-doped-*pbga₂s₄* mid-infrared laser,” in *Proceedings of CLEO Europe*. CLEO, Munich, Germany, 2013.
- [A27] H. Jelínková, J. Šulc, **M. Jelínek**, M. Nemec, M. Fibrich, M. Doroshenko, V. Osiko, V. Badikov, and D. Badikov, “Mid-ir radiation generated by Dy:PbGa₂S₄ laser,” in *OSA Technical Digest (online) (Optical Society of America, 2014)*, paper ATu2A.12, 2014.
- [A33] M. Doroshenko, H. Jelínková, M. Němec, J. Šulc, **M. Jelínek**, D. Vyhlídal, M. Čech, Y. Zagoruiko, N. Kovalenko, A. Gerasimenko, V. Puzikov, and V. Komar, “Fe:ZnSe laser oscillation under cryogenic and room temperature,” in *Advanced Solid-State Lasers Congress Technical Digest*, paper JTh2A.46. OSA, 2013.
- [A34] M. Doroshenko, H. Jelínková, M. Němec, J. Šulc, **M. Jelínek**, Y. Zagoruiko, N. Kovalenko, A. Gerasimenko, V. Puzikov, and V. Komar, “Comparison of Fe:ZnSe and Fe:ZnMgSe laser characteristics in dependence on temperature,” in *6th EPS-QEOD Europhoton Conference Abstract Volume 38 E*. European Physical Society, 2014.
- [A35] H. Jelínková, M. Doroshenko, J. Šulc, **M. Jelínek**, M. Němec, T. Basiev, V. Komar, A. Gerasimenko, V. Puzikov, V. Badikov, and D. Badikov, “4-5μm wavelength radiation generated by mid-IR lasers,” in *5th EPS-QEOD Europhoton Conference Abstract Volume 36 E*. European Physical Society, 2012.
- [A37] M. Hemmer, D. Sanchez, **M. Jelínek**, H. Hoogland, K. Zawilski, P. Schunemann, R. Holzwarth, V. Kubeček, and J. Biegert, “Few-cycle, 6.5 μm OPCPA pump and front-end,” in *Laser Physics Workshop, Sofia - Bulgaria*, 2014.
- [A38] M. Hemmer, D. Sanchez, **M. Jelínek**, H. Jelínková, V. Kubeček, and J. Biegert, “Fiber-seeded, 10 ps, 2050 nm, multi-mJ, cryogenic Ho:YLF CPA,” in *CLEO: 2014, OSA Technical Digest (online) (Optical Society of America, 2014)*, paper SM1F.3, 2014.

Other publications of the author

- [B1] **M. Jelínek**, V. Kubeček, Z. Burian, and P. Hříbek, “Double-clad planar waveguide Nd:YAG laser,” *Proc. SPIE*, vol. 7138, p. 1O, 2008.
- [B2] F. Todorov, **M. Jelínek**, V. Matějec, M. Chomat, V. Kubeček, D. Berkova, and R. Sedlar, “Preparation and characterization of optical microspheres for refractive-index sensing,” *Proc. SPIE*, vol. 7716, p. 77161X, 2010.
- [B3] V. Matějec, **M. Jelínek**, F. Todorov, M. Chomat, V. Kubeček, D. Berkova, and T. Martan, “Effect of sol-gel modifications on characteristics of silica spherical microresonators,” *Sensor Letters*, vol. 9, pp. 2265–2267, 2011.
- [B4] F. Todorov, J. Čtyroky, **M. Jelínek**, M. Chomat, V. Matějec, V. Kubeček, T. Martan, and D. Berkova, “Bottle microresonators fabricated by shaping optical fibers with a beam of a CO₂ laser,” *Sensor Letters*, vol. 9, pp. 2279–2282, 2011.
- [B5] V. Matějec, F. Todorov, **M. Jelínek**, M. Fibrich, M. Chomát, V. Kubeček, and D. Berková, “Sensitivity of silica microspheres modified by xerogel layers to acetone and ethanol,” *Proc. SPIE*, vol. 8073, p. 80730X, 2011.
- [B6] F. Todorov, V. Matějec, M. Chomát, D. Berková, **M. Jelínek**, V. Kubeček, and R. Sedlár, “Optické mikroresonátory pro senzory a komunikace,” *Sborník Optické komunikace*, p. 89, 2009.
- [B7] **M. Jelínek**, F. Todorov, V. Matějec, M. Chomát, V. Kubeček, and D. Berková, “Křemenné optické mikroresonátory,” *Sborník Optické komunikace*, p. 47, 2010.
- [B8] F. Todorov, J. Čtyroky, V. Matějec, M. Chomát, D. Berková, I. Kašík, T. Martan, **M. Jelínek**, V. Kubeček, and M. Fibrich, “Preparation and characterization of bottle optical microresonators with circular and hexagonal cross-sections,” *Proc. SPIE*, vol. 8306, pp. 83060Q–1, 2011.
- [B9] V. Matějec, F. Todorov, **M. Jelínek**, M. Fibrich, M. Chomat, V. Kubeček, I. Barton, T. Martan, and D. Berkova, “Preparation of spherical optical microresonators and their resonance spectra in air and gaseous acetone,” *Proc. SPIE*, vol. 8306, pp. 830605–1, 2011.
- [B10] P. Salzenstein, **M. Jelínek**, Y. K. Chembo, M. Pogurmiskiy, H. Tavernier, K. Volyanskiy, K. P. Huy, M. Chauvet, L. Larger, and V. Kubeček, “Resonance measurements techniques of optical whispering gallery mode mini-disc resonators for microwave photonics applications,” *Proc. SPIE*, vol. 8071, p. 807104, 2011.
- [B11] T. Dostálová, H. Jelínková, J. Šulc, M. Němec, M. Fibrich, **M. Jelínek**, P. Koranda, P. Michalík, and M. Miyagi, “Debonding of special bracket with Tm:YAP microchip laser,” *Lasers in medical science*, vol. 25, p. 34, 2010.

- [B12] T. Dostálová, H. Jelínková, J. Šulc, P. Koranda, M. Fibrich, **M. Jelínek**, P. Michalík, M. Němec, and M. Miyagi, “Influence of Tm:YAP laser irradiation on tensile strength for bracket debonding,” *Proc. SPIE*, vol. 7884, 2011.
- [B13] D. Vyhliđal, **M. Jelínek**, M. Čech, and V. Kubeček, “Performance evaluation of fast, high precision laser rangefinder electronics with a pulsed laser,” *Proc. SPIE*, vol. 8306, p. 83060D, 2011.
- [B14] V. Matějec, I. Kašík, O. Podrazky, J. Aubrecht, M. Frank, **M. Jelínek**, and V. Kubeček, “Preparation and characterization of Bragg fibers for delivery of laser radiation at 1064 nm,” *Radioengineering*, vol. 22, 2013.
- [B15] V. Matějec, O. Podrazky, I. Kašík, M. Frank, **M. Jelínek**, and V. Kubeček, “Comparison of characteristics of Bragg fibers with silica and air cores,” *Proc. SPIE*, vol. 945, p. 94500Y, 2015.